



Selected Publications Citing 21st Century Biochemicals Custom Peptides

Conformational lability in the class II MHC 3₁₀ helix and adjacent extended strand dictate HLA-DM susceptibility and peptide exchange, *PNAS*, Nov 2011; 108: 19329 - 19334.

Pyroglutamate-A β 3 and 11 colocalize in amyloid plaques in Alzheimer's disease cerebral cortex with pyroglutamate-A β 11 forming the central core, *Neurosci Lett*. 2011 Oct 6. [Epub ahead of print].

Peptide-conjugated PAMAM dendrimer as a universal platform for antigen presenting cell targeting and effective DNA-based vaccinations, *Cancer Res*. October 10, 2011.

Altered membrane lipid domains limit pulmonary endothelial calcium entry following chronic hypoxia, *Am J Physiol Heart Circ Physiol*, Oct 2011; 301: H1331 - H1340.

Small Heat Shock Proteins Induce a Cerebral Inflammatory Reaction, *J. Neurosci.*, Aug 2011; 31: 11992 - 12000.

Molecular Mechanisms of Viral and Host Cell Substrate Recognition by Hepatitis C Virus NS3/4A Protease, *J. Virol.*, Jul 2011; 85: 6106 - 6116.

Virus-Induced Transient Immune Suppression and the Inhibition of T Cell Proliferation by Type I Interferon, *J. Virol.*, Jun 2011; 85: 5929 - 5939.

Antibody Recognition of Porcine Circovirus Type 2 Capsid Protein Epitopes after Vaccination, Infection, and Disease, *Clin. Vaccine Immunol.*, May 2011; 18: 749 - 757.

Evaluation of Large Scale Quantitative Proteomic Assay Development Using Peptide Affinity-based Mass Spectrometry, *Mol. Cell. Proteomics*, Apr 2011; 10: M110.005645.

Repeated In Vivo Stimulation of T and B Cell Responses in Old Mice Generates Protective Immunity against Lethal West Nile Virus Encephalitis, *J. Immunol.*, Apr 2011; 186: 3882 - 3891.

Role of the angiotensin II AT₂ receptor in inflammation and oxidative stress: opposing effects in lean and obese Zucker rats, *Am J Physiol Renal Physiol*, Mar 2011; 300: F700 - F706.

Hyperphagia and Increased Fat Accumulation in Two Models of Chronic CNS Glucagon-Like Peptide-1 Loss of Function, *J. Neurosci.*, Mar 2011; 31: 3904 - 3913.

Coordinated activities of wild-type plus mutant EZH2 drive tumor-associated hypertrimethylation of lysine 27 on histone H3 (H3K27) in human B-cell lymphomas, *Proc. Natl. Acad. Sci., U.S.A.*, Dec 2010; 107: 20980 - 20985.

Discovery of a Novel and Rich Source of Gluten-Degrading Microbial Enzymes in the Oral Cavity, PLoS ONE 5(10) FG (2010): e13264. doi:10.1371/journal.pone.0013264

A 24-Residue Peptide (p5), Derived from p35, the Cdk5 Neuronal Activator, Specifically Inhibits Cdk5-p25 Hyperactivity and Tau Hyperphosphorylation, J. Biol. Chem., Oct 2010; 285: 34202 - 34212.

Bi-specific MHC Heterodimers for Characterization of Cross-reactive T Cells, J. Biol. Chem., Oct 2010; 285: 33144 - 33153.

Inhibition of NAD(P)H oxidase potentiates AT2 receptor agonist-induced natriuresis in Sprague-Dawley rats, Am J Physiol Renal Physiol, Oct 2010; 299: F815 - F820.

IFN- β and Self-MHC Divert CD8 T Cells into a Distinct Differentiation Pathway Characterized by Rapid Acquisition of Effector Functions, J. Immunol., Aug 2010; 185: 1419 - 1428.

Cyclin-dependent kinase 5 activity is required for T cell activation and induction of experimental autoimmune encephalomyelitis, J. Exp. Med., Oct 2010; 207: 2507 - 2519.

Modulation of the Delta Protein Kinase C Interaction With The "d" Subunit of F1Fo ATP Synthase in Neonatal Cardiac Myocytes: Development of Cell-Permeable, Mitochondrial-Targeted Inhibitor and Facilitator Peptides, J. Biol. Chem., 285: 22164 - 22173.

Limiting angiotensin II signaling with a cell penetrating peptide mimicking the second intracellular loop of the angiotensin II type I receptor, Chem. Biol. & Drug Design, Chem Biol Drug Des, July 1, 2010; 76(1): 70-6.

Analysis of Apoptosis of Memory T Cells and Dendritic Cells during the Early Stages of Viral Infection or Exposure to Toll-Like Receptor Agonists, J. Virol., May 2010; 84: 4866 - 4877.

Mutant Huntingtin Fragments Form Oligomers in a Polyglutamine Length-dependent Manner *in Vitro* and *in Vivo*, J. Biol. Chem., May 2010; 285: 14777 - 14790.

Effects of cholesterol on thermal stability of discoidal high density lipoproteins, J. Lipid Res., Feb 2010; 51: 324 - 333.

High Frequencies of Virus-Specific CD8+ T-Cell Precursors, J. Virol., Dec 2009; 83: 12907 - 12916.

Key role of T cell defects in age-related vulnerability to West Nile virus, J. Exp. Med., Nov 2009; 206: 2735 - 2745.

Distinct Concentration-Dependent Effects of the Polo-like Kinase 1-Specific Inhibitor GSK461364A, Including Differential Effect on Apoptosis, Cancer Res., 2009; 6969-6977: (17). Sept 2009

Ii-Key/HPV16 E7 hybrid peptide immunotherapy for HPV16+ cancers, Vaccine, July 2009; Volume 27, Issue 34, 4641–4647

Auger Radiation–Induced, Antisense-Mediated Cytotoxicity of Tumor Cells Using a 3-Component Streptavidin-Delivery Nanoparticle with ¹¹¹In, *J. Nucl. Med.*, Apr 2009; 50: 582 - 590.

Antitumor Activity of GSK1904529A, a Small-molecule Inhibitor of the Insulin-like Growth Factor-I Receptor Tyrosine Kinase, *Cancer Res.*, Apr 2009; 10.1158/1078-0432.CCR-08-2530

Atrial Natriuretic Peptide Frameshift Mutation in Familial Atrial Fibrillation, *N Engl J Med.*, 2008;359:158-65

Effects of acyl chain length, unsaturation and pH on thermal stability of model discoidal high-density lipoproteins, *J. Lipid Res.*, May 2008; 10.1194.

COPI coatomer complex proteins facilitate the translocation of anthrax lethal factor across vesicular membranes *in vitro*, *Proc. Natl. Acad. Sci. U.S.A*, Apr 2008; 105: 5254 - 5259.

Human Macrophage Inflammatory Protein 3 α : Protein and Peptide Nuclear Magnetic Resonance Solution Structures, Dimerization, Dynamics, and Anti-Infective Properties, *Antimicrob. Agents Chemother.*, Mar 2008; 52: 883 - 894.

Characterization of an exosite binding inhibitor of matrix metalloproteinase 13, *Protein Sci.*, Jan 2008; 17: 66 - 71.

Sphingosine-1-phosphate induces the association of membrane-type 1 matrix metalloproteinase with p130Cas in endothelial cells, *FEBS Letters* (2008) 582:399–404.

GTP-independent rapid and slow endocytosis at a central synapse, *Nature Neuroscience* (2008) 11:1

Cell Culture and Xenograft-Bearing Animal Studies of Radiolabeled Antisense DNA–Carrier. Nanoparticles with Streptavidin as a Linker, *J. Nucl. Med.*, Nov 2007; 48: 1845 - 1852.

Novel C5a Agonist-Based Dendritic Cell Vaccine in a Murine Model of Melanoma, *Cell Cycle* (2007) 6:22, 2835-2839

Protective capacity and epitope specificity of CD8+ T cells responding to lethal West Nile virus infection. James D. Brien, Jennifer L. Uhrlaub and Janko Nikolich-Zugich. *Eur J Immunol.*, 2007 Jul;37(7):1855-63

Cell Culture and Xenograft-Bearing Animal Studies of Radiolabeled Antisense DNA–Carrier Nanoparticles with Streptavidin as a Linker, *J Nucl Med.*, 2007; 48:1845–1852

Narrowed TCR repertoire and viral escape as a consequence of heterologous immunity, *J Clin Invest.*, (2006) 116(5):1443-56

Steady-state Kinetic Mechanism of PDK1, J. Biol. Chem., Aug 2006; 281: 21670 - 21681.

Intracellular Trafficking of KA2 Kainate Receptors Mediated by Interactions with Coatamer Protein Complex I (COPI) and 14-3-3 Chaperone Systems, J. Biol. Chem., Jun 2006; 281: 15475 - 15484.

Megalyn binds and internalizes angiotensin-(1-7), Am J Physiol Renal Physiol. May 2006; 290(5): 1270-1275.

Mechanism of Substrate Recognition by Drug-Resistant Human Immunodeficiency Virus Type 1 Protease Variants Revealed by a Novel Structural Intermediate, J. Virol., Apr 2006; 80: 3607 - 3616.

Th-Cytotoxic T-Lymphocyte Chimeric Epitopes Extended by *N*- ϵ -Palmitoyl Lysines Induce Herpes Simplex Virus Type 1-Specific Effector CD8 Tc1 Responses and Protect against Ocular Infection, J. Virol., (2005) 79(24):15289-15301

Inhibition of colony-stimulating-factor-1 signaling *in vivo* with the orally bioavailable cFMS kinase inhibitor GW2580, Proc. Natl. Acad. Sci. , Nov 2005; 102: 16078 - 16083.

A conserved motif in transmembrane helix 1 of diphtheria toxin mediates catalytic domain delivery to the cytosol, Proc. Natl. Acad. Sci. , Oct 2005; 102: 15635 - 15640.